



SIVACON, dach, EMC, EMC, IP40, szer.: 400 mm, głęb.: 1000 mm, ocynk



Wersja

Nazwa markowa produktu	SIVACON
oznaczenie produktu	blacha dachowa
wykonanie produktu	EMC
wykonanie powierzchni	ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie	Tak

Klasa ochrony

Stopień ochrony IP	IP40
--------------------	------

Stosowność

możliwość zastosowania do użytku zewnętrznego	Nie
---	-----

Szczegóły produktu

element składowy produktu	
<ul style="list-style-type: none"> wprowadzenie kabla 	Nie
<ul style="list-style-type: none"> wentylacja 	Nie

Konstrukcja mechaniczna

szerokość	400 mm
głębokość	1 000 mm
Waga netto na jedn.	5,1 kg
materiał	Stal

Zezwolenia Certyfikaty

Environment	General Product Approval	Test Certificates
-------------	--------------------------	-------------------

[Environmental Con-
firmations](#)



[Special Test Certific-
ate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)



[Confirmation](#)

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1040-2UD12-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1040-2UD12-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1040-2UD12-0A

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



Ostatnia zmiana:

24.05.2025

