

SIVACON, dach, pełna, IP40, szer.: 900 mm, głęb.: 1000 mm, ocynk

Wersja			
Nazwa markowa produktu	SIVACON		
oznaczenie produktu	blacha dachowa		
wykonanie produktu	zamknięty		
wykonanie powierzchni	ocynkowany		
wykonanie produktu kompatybilny elektromagnetycznie	Nie		
Klasa ochrony			
Stopień ochrony IP	IP40		
Stosowność			
możliwość zastosowania do użytku zewnętrznego	Nie		
Szczegóły produktu			
element składowy produktu			
• wprowadzenie kabla	Nie		
• wentylacja	Nie		
Konstrukcja mechaniczna			
szerokość	900 mm		
głębokość	1 000 mm		
Waga netto na jedn.	11,1 kg		
materiał	Stal		
Zezwolenia Certyfikaty			
Environment	General Product Approval	Test Certificates	other



[Special Test Certificate](#)

[Miscellaneous](#)

other

[Miscellaneous](#)

[Confirmation](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1090-2UD10-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1090-2UD10-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF1090-2UD10-0A](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1090-2UD10-0A)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



Ostatnia zmiana:

24.05.2025

