


połączenie kablowe 3WA wielkość 1, 3- lub 4-bieg., montaż na stałe, szer.: 600 mm



Wersja	
Nazwa markowa produktu	SIKUS 1600
oznaczenie produktu	Połączenie kablowe 3WA
Wygląd	
kolor	Pozostałe
Konstrukcja mechaniczna	
szerokość	600 mm
głębokość	400 mm
Waga netto na jedn.	3,877 kg
materiał	Metal
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)



[Confirmation](#)

General Product Approval

other



EG-Konf.

[Miscellaneous](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6000-4BA78>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6000-4BA78>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6000-4BA78

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

Ostatnia zmiana:

24.05.2025 