

szyna profilowa C szyna wsporcza do kabli C30 głęb.=400



Wersja		
Nazwa markowa produktu	SIVACON	
oznaczenie produktu	Szyna profilowa C30	
wykonanie produktu	Kablowa szyna wsporcza	
Wygląd		
kolor	Pozostałe	
Konstrukcja mechaniczna		
głębokość	400 mm	
rodzaj montażu	mocowanie śrubowe	
rodzaj montażu 19-calowe osadzenie	Nie	
Waga netto na jedn.	0,481 kg	
materiał	Blacha stalowa	
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)

[Miscellaneous](#)

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF4405>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF4405>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF4405](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF4405)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



