







połączenie kablowe 3WA wielkość 1, 3- lub 4-bieg., element wsuwany, szer.: 600 mm



Wersja						
Nazwa markowa produktu	SIKUS 1600					
oznaczenie produktu	Połączenie kablowe 3WA					
Wygląd						
kolor	Pozostałe					
Konstrukcja mechaniczna						
szerokość	600 mm					
głębokość	400 mm					
Waga netto na jedn.	4,237 kg					
materiał	Metal					
Zezwolenia Certyfikaty						
Environment	General Product Approval					
<a href="#">Environmental Con- firmations</a>		<a href="#">Environmental Con- firmations</a>			<a href="#">Confirmation</a>	
General Product Approval	other		<a href="#">Miscellaneous</a>		<a href="#">Confirmation</a>	

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6000-4BA81>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6000-4BA81>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ6000-4BA81](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6000-4BA81)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

---

Ostatnia zmiana:

24.05.2025 