

połączenie kablowe 3VA pole, 3VA25 (1000A), montaż na stałe, 3- lub 4-bieg., szer.: 400 mm



Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	przyłącze kablowe
wykonanie produktu	3VA25 (1000A)
wykonanie powierzchni	nieobrobiony / ocynkowany
Wygląd	
kolor	Pozostałe
Szczegóły produktu	
element składowy produktu płyta górna	Nie
Konstrukcja mechaniczna	
wysokość	390 mm
szerokość	394 mm
głębokość	344 mm
długość	394 mm
grubość materiału blachy	2,5 mm
Waga netto na jedn.	4,1 kg
materiał	tworzywo sztuczne / metal
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-  
firmations](#)



[Environmental Con-  
firmations](#)



[Confirmation](#)

General Product Approval

other



[Miscellaneous](#)



[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6001-4BA67>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6001-4BA67>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ6001-4BA67](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6001-4BA67)

**CAX-Online-Generator**

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Krzywe charakterystyczne**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

---

Ostatnia zmiana:

10.06.2025 

