

przyłącze głównej szyny zbiorczej 3VA15 (1000A), 3VA25 (1000A), 3- lub 4-bieg.,  
montaż na stałe, główna szyna zbiorcza: u góry z tyłu, szer.: 400 mm



<b>Wersja</b>	
oznaczenie produktu	Przyłącze 3VA głównej szyny zbiorczej
<b>Wygląd</b>	
kolor	Biały
<b>Szczegóły produktu</b>	
element składowy produktu płyta górna	Nie
<b>Konstrukcja mechaniczna</b>	
szerokość	400 mm
Waga netto na jedn.	4,83 kg
materiał	Tworzywo
<b>Zezwolenia Certyfikaty</b>	
Environment	General Product Approval

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)

General Product Approval

other

[Miscellaneous](#)



[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6001-5BA56>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6001-5BA56>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ6001-5BA56](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6001-5BA56)

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

---

Ostatnia zmiana:

15.06.2025 

