

ALPHA DIN wspornik, krótki 61,5 mm minimalna wielkość zamówienia 100 sztuk w przypadku szyny montażowej 15 mm bezpośrednio na belce




Wersja	
Nazwa markowa produktu	ALPHA
materiał	tworzywo sztuczne
Konstrukcja mechaniczna	
Waga netto na jedn.	8 g

### Zezwolenia Certyfikaty


Environment	General Product Approval
<a href="#">Environmental Con- firmations</a>	<a href="#">Environmental Con- firmations</a>
	<a href="#">Confirmation</a>
	
	

### Test Certificates

<a href="#">Special Test Certi- cate</a>	<a href="#">Confirmation</a>	<a href="#">Miscellaneous</a>	
----------------------------------------------	------------------------------	-------------------------------	-------------------------------------------------------------------------------------

### Więcej informacji

- Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9910-0KK24>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9910-0KK24>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9910-0KK24](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9910-0KK24)
- CAx-Online-Generator  
<https://www.siemens.com/cax>
- Tender specifications  
<https://www.siemens.com/specifications>
- Krzywe charakterystyczne  
[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

Ostatnia zmiana:

26.05.2025 

