


ALPHA DIN ALPHA 630, uchwyt do pogłębionego montażu regulowana głębokość
duże opakowanie: 10 szt.




Wersja	
Nazwa markowa produktu	ALPHA
materiał	stal
Konstrukcja mechaniczna	
Waga netto na jedn.	101 g

Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates
Environmental Confirmations	Confirmation	Special Test Certificate
Environmental Confirmations		
		EG-Konf.

other		
Confirmation	Miscellaneous	

Więcej informacji

- Informacje dotyczące opakowania
[Informacje dotyczące opakowania](#)
- Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9911-0KK01>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9911-0KK01>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9911-0KK01
- CAx-Online-Generator
<https://www.siemens.com/cax>
- Tender specifications
<https://www.siemens.com/specifications>
- Krzywe charakterystyczne
[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



Ostatnia zmiana:

26.05.2025 

