



SIVACON, dach, pełna, IP40, szer.: 400 mm, głęb.: 600 mm, ocynk



Wersja		
Nazwa markowa produktu		SIVACON
oznaczenie produktu		blacha dachowa
wykonanie produktu		zamknięty
wykonanie powierzchni		ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie		Nie
Klasa ochrony		
Stopień ochrony IP		IP40
Stosowność		
możliwość zastosowania do użytku zewnętrznego		Nie
Szczegóły produktu		
element składowy produktu		
• wprowadzenie kabla		
• wentylacja		
Konstrukcja mechaniczna		
szerokość		400 mm
głębokość		600 mm
Waga netto na jedn.		3 kg
materiał		Stal
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)



[Special Test Certifi-
cate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1046-2UD10-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1046-2UD10-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1046-2UD10-0A

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

24.05.2025

