


Siemens
EcoTech



SIVACON, dach, z otworami wentylacyjnymi, z otworami wentylacyjnymi, IP40, szer.: 1200 mm, głęb.: 500 mm, ocynk



Wersja		
Nazwa markowa produktu		SIVACON
oznaczenie produktu		blacha dachowa
wykonanie produktu		z otworami wentylacyjnymi
wykonanie powierzchni		ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie		Nie
Klasa ochrony		
Stopień ochrony IP		IP40
Stosowność		
możliwość zastosowania do użytku zewnętrznego		Nie
Szczegóły produktu		
element składowy produktu		
• wprowadzenie kabla		Nie
• wentylacja		Tak
Konstrukcja mechaniczna		
szerokość		1 200 mm
głębokość		500 mm
przekrój wentylacji wylot użytkowy		719 cm²
Waga netto na jedn.		6,9 kg
materiał		Stal
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

Siemens
EcoTech



[Special Test Certifi-
cate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1025-2UD30-0A>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1025-2UD30-0A>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1025-2UD30-0A

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

24.05.2025

