

plyta dachowa IP40, szer.: 350 mm głęb.: 600 mm



Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	blacha dachowa
wykonanie produktu	IP40 wentylowany
wykonanie powierzchni	ocynkowany
wykonanie produktu kompatybilny elektromagnetycznie	Nie
Klasa ochrony	
Stopień ochrony IP	IP40
Stosowność	
możliwość zastosowania do użytku zewnętrznego	Nie
Wygląd	
kolor	Pozostałe
Szczegóły produktu	
element składowy produktu	
• wprowadzenie kabla	Nie
• wentylacja	Tak
Konstrukcja mechaniczna	
wysokość	1,5 mm
szerokość	350 mm
głębokość	600 mm
przekrój wentylacji wylot użytkowy	177 cm²
Waga netto na jedn.	2,67 kg
materiał	Blacha stalowa
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)

General Product Approval

other

[Miscellaneous](#)



[Confirmation](#)



Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2300-6BA13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ2300-6BA13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2300-6BA13

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

12.09.2025 

