


ALPHA 160/400/630/1250 DIN osłona pola zamknięta wys.=150mm, szer.= 250 mm, dostawa bez wsporników



| Wersja                                      |                                                                                     |                                                                                       |
|---------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Nazwa markowa produktu                      | ALPHA                                                                               |                                                                                       |
| oznaczenie produktu                         | osłona pola                                                                         |                                                                                       |
| wykonanie produktu                          | zamknięty                                                                           |                                                                                       |
| materiał                                    | tworzywo sztuczne                                                                   |                                                                                       |
| Konstrukcja mechaniczna                     |                                                                                     |                                                                                       |
| wysokość                                    | 150 mm                                                                              |                                                                                       |
| szerokość                                   | 250 mm                                                                              |                                                                                       |
| Waga netto na jedn.                         | 158 g                                                                               |                                                                                       |
| Zezwolenia Certyfikaty                      |                                                                                     |                                                                                       |
| Environment                                 | General Product Approval                                                            | Test Certificates                                                                     |
| <a href="#">Environmental Conformations</a> | <a href="#">Confirmation</a>                                                        | <a href="#">Special Test Certificate</a>                                              |
| <a href="#">Environmental Conformations</a> |  |  |
|                                             |                                                                                     | EG-Konf.                                                                              |
| other                                       |                                                                                     |                                                                                       |
| <a href="#">Confirmation</a>                | <a href="#">Miscellaneous</a>                                                       |    |

### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9602-1KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9602-1KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9602-1KK10](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9602-1KK10)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

Ostatnia zmiana:

26.05.2025 

