

akcesoria do lampy LED 025 przewód w płaszczu DC 2x 1,5 mm² z gniazdem i wtyczką, VDE



Wersja		
Nazwa markowa produktu		SIVACON
oznaczenie produktu		Przewód w osłonie DC do kaskadowania
wykonanie produktu		2x1,5 mm² z gniazdem
rodzaj elementu świecącego		LED
Klasa ochrony		
Stopień ochrony IP		IP20
Szczegóły produktu		
element składowy produktu		
• włącznik/wyłącznik		Nie
• czujnik światła		Nie
• gniazdo wtykowe		Nie
właściwość produktu magnetyczny		Nie
Połączenia		
wykonanie przyłącza elektrycznego dla okablowania przelotowego		złącze wtykowe
Konstrukcja mechaniczna		
rodzaj montażu		Inne
Waga netto na jedn.		117 g
materiał		Tworzywo
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2210-3C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MR2210-3C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2210-3C

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

24.05.2025 

