

DELTA miro tworzywo sztuczne delikatny czarny ramka 3-krotn. 232 x 90 mm



Wersja		
Nazwa markowa produktu		DELTA
oznaczenie produktu		Rama
Klasa ochrony		
Stopień ochrony IP		IP20
Stosowność		
możliwość zintegrowania kanał montażu urządzeń		Nie
możliwość zintegrowania kanał kablowy pod podłogą		Nie
możliwość integracji instalacja podtynkowa		Tak
Wygląd		
wygląd		matowy
kolor		łagodny czarny
Szczegóły produktu		
element składowy produktu		
• oznacznik		Nie
• pokrywa na zawiasach		Nie
właściwość produktu bezhalogenowy		Tak
właściwość produktu przezroczysty		Nie
Liczba		
liczba jednostek		3
Konstrukcja mechaniczna		
wysokość		232 mm
szerokość		90 mm
rodzaj montażu		Mocowanie zaciskowe
pozycja montażowa		poziomo i pionowo
Waga netto na jedn.		41 g
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG1113-0SB>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5TG1113-0SB>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG1113-0SB

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

4.02.2026 

