



Adapter urządzeniowy wyłącznika kompaktowego, 3-biegunowy, 160 A Odstęp między osiami szyn 60mm, do 3VA10/11, VA50/51 160 x 77 mm Łączenie z adapterem w zestawie

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Adapter urządzenia
wykonanie produktu	Akcesoria
Konstrukcja mechaniczna	
wysokość	160 mm
szerokość adaptera	76 mm
głębokość	26 mm
grubość szyny prądowej	
• minimalny	5 mm
• maksymalny	10 mm
odstęp między środkami szyn	60 mm
Waga netto na jedn.	0,539 kg
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



Test Certificates	other
Miscellaneous	Confirmation
	Miscellaneous

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1613-4AU01
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8US1613-4AU01
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1613-4AU01
CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

11.04.2025 

