



adapter urządzeniowy, 3-bieg., 125 A, bez śrub mocujących, do 3VA51, 3VA10, 3VA11 odległość środków szyn 60mm 200 x 90 mm przyłącze urządzeń na dole zacisku urządzeń muszą być osobno zamawiane do 3VA51: 3VA9133-0JA11 lub 3VA9133-0JB11

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Adapter urządzenia
wykonanie produktu	Akcesoria
Konstrukcja mechaniczna	
wysokość	200 mm
szerokość adaptera	90 mm
głębokość	26 mm
grubość szyny prądowej	
• minimalny	5 mm
• maksymalny	10 mm
odstęp między środkami szyn	60 mm
Waga netto na jedn.	1,022 kg
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)

General Product Approval	Test Certificates	Maritime application	other
 EG-Konf.			

[Miscellaneous](#)

[Confirmation](#)

other
Miscellaneous

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1215-4SS00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1215-4SS00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1215-4SS00

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

4.04.2025

