



system szyn zbiorczych odległość środków szyn 60mm podstawa aparatura, szerokość: 45 mm grubość szyny: 5,10mm+profil TT bez styku elektrycznego z 1 szyną montażową 35mm, do montaż boczny do adaptera 8US1211-1NS10 długość 200mm

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	wspornik urządzenia
wykonanie produktu	Akcesoria
liczba szyn montażowych	1
Konstrukcja mechaniczna	
wysokość	200 mm
szerokość adaptera	45 mm
głębokość	59 mm
grubość szyny prądowej	
• minimalny	5 mm
odstęp między środkami szyn	60 mm
Waga netto na jedn.	219 g
Zezwolenia Certyfikaty	
Environment	General Product Approval
Environmental Con- firmations	Environmental Con- firmations
	
	
General Product Approval	
Test Certificates	Maritime application
other	other
Confirmation	Miscellaneous
	
	
other	
Confirmation	

Więcej informacji
Informacje dotyczące opakowania
Informacje dotyczące opakowania
Information for data generation and storage
https://support.industry.siemens.com/cs/ww/en/view/109995012

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1250-1AA10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8US1250-1AA10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1250-1AA10

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

Ostatnia zmiana:

11.04.2025 

