



adapter MCB 63A 1-bieg. 18x 160 mm,

| Wersja                      |                          |
|-----------------------------|--------------------------|
| Nazwa markowa produktu      | SETRON                   |
| oznaczenie produktu         | Adapter urządzenia       |
| wykonanie produktu          | Akcesoria                |
| liczba szyn montażowych     | 1                        |
| Konstrukcja mechaniczna     |                          |
| wysokość                    | 160 mm                   |
| szerokość adaptera          | 18 mm                    |
| głębokość                   | 73 mm                    |
| grubość szyny prądowej      |                          |
| • minimalny                 | 5 mm                     |
| odstęp między środkami szyn | 60 mm                    |
| Waga netto na jedn.         | 76 g                     |
| Zezwolenia Certyfikaty      |                          |
| Environment                 | General Product Approval |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)



| Test Certificates             | other                         |
|-------------------------------|-------------------------------|
| <a href="#">Miscellaneous</a> | <a href="#">Confirmation</a>  |
|                               |                               |
| <a href="#">Miscellaneous</a> | <a href="#">Miscellaneous</a> |

| Więcej informacji                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Informacje dotyczące opakowania<br><a href="#">Informacje dotyczące opakowania</a>                                                                                                                                                                                 |
| Information for data generation and storage<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109995012">https://support.industry.siemens.com/cs/ww/en/view/109995012</a>                                                                             |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="https://www.siemens.com/lowvoltage/catalogs">https://www.siemens.com/lowvoltage/catalogs</a>                                                                                                 |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1624-2FK02">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8US1624-2FK02</a>                                            |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/pl/ps/8US1624-2FK02">https://support.industry.siemens.com/cs/ww/pl/ps/8US1624-2FK02</a>                                                  |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1624-2FK02">https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1624-2FK02</a> |
| CAX-Online-Generator                                                                                                                                                                                                                                               |

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Krzywe charakterystyczne**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

---

Ostatnia zmiana:

11.04.2025 

