

ALPHA szyna zbiorcza miedziana 450 A 30x 5 mm, 450 A, dł. = 500 mm



Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	Szyna zbiorcza CU
wykonanie produktu	30X5 mm, 450 A, B=500
wykonanie szyny zbiorczej	Inne
Ogólne dane techniczne	
obróbka powierzchniowa cynowany	Nie
Obwód główny	
prąd roboczy wartość znamionowa	450 A
Szczegóły produktu	
właściwość produktu elastyczny	Nie
Konstrukcja mechaniczna	
szerokość	30 mm
długość	491 mm
grubość szyny zbiorczej	5 mm
Waga netto na jedn.	681 g
materiał szyny prądowej	miedź
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



General Product Ap- proval	Test Certificates	other
-------------------------------	-------------------	-------



[Type Test Certific-
ates/Test Report](#)

[Special Test Certific-
ate](#)

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9735-0KK20>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9735-0KK20>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9735-0KK20
CAx-Online-Generator
<https://www.siemens.com/cax>
Tender specifications
<https://www.siemens.com/specifications>
Krzywe charakterystyczne
https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana: 15.01.2026 

