

wyposażenie wyłącznika 3WA, Doposażenie w wewnętrzne Odejsie napięciowe na dolne główne tory prądowe, tylko do 3WA ze zdolnością załączania N S M H, C nie do E, zestaw do 3-bieg. wyłącznik, wielkość 3



Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	zestaw modernizacyjny
wykonanie produktu	doposażenie w wewnętrzne odejsie napięciowe na dolnych głównych torach prądowych

Ogólne dane techniczne	
liczba biegunów	3
wielkość wyłącznika	3
klasa zdolności łączeniowej wyłącznika	N, S, M, H, C
Waga netto na jedn.	1 029,09 g

Zezwolenia Certyfikaty		
General Product Approval	EMV	Test Certificates



[Confirmation](#)



EG-Konf.



RCM

[Special Test Certificate](#)

Test Certificates	Maritime application	other	Dangerous goods
-------------------	----------------------	-------	-----------------

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)



LRS



[Confirmation](#)

[Dangerous goods information](#)

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WA9111-0EK53>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3WA9111-0EK53>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WA9111-0EK53


CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne



Ostatnia zmiana:

13.04.2025 

