



wkręt samogwintujący skrawający łeb płaski, DIN 7500-PE, M6 x 20, ST, ocynkowane, TX 30, 1 opakowanie=100 sztuk

Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	Wkręty samogwintujące
wykonanie produktu	M6x20
rodzaj formowania gwintu	samogwintujące
wersja systemu śrubowego	gniazdo sześciokątne TX
konstrukcja łba śruby	główna soczewkowa
obróbka powierzchniowa	ocynkowany galwanicznie/elektrolitycznie
element składowy produktu przy dostawie	100 sztuk
właściwość produktu hartowany	Nie
właściwość produktu samowierzący	Nie
długość	20 mm
miar gwintu (metryczny)	6 mm
średnica gwintu	6 mm
skok gwintu	1 mm
Waga netto na jedn.	634 g
material	Stal

Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)

General Product Approval	other
--------------------------	-------



[Miscellaneous](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ9500-0BA31>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ9500-0BA31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ9500-0BA31

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

11.06.2025 

