




osłona 3VA11 (160 A), 4-bieg., montaż na stałe, napęd: bezpośredni, napęd obrotowy przedni, napęd silnikowy RCD: wbudowany, wys.: 450 mm szer.: 600 mm

| Wersja                                                  |                     |
|---------------------------------------------------------|---------------------|
| Nazwa markowa produktu                                  | SIVACON S4          |
| oznaczenie produktu                                     | Oslona 3VA          |
| wykonanie powierzchni                                   | powlekany proszkowo |
| wysokość                                                | 450 mm              |
| szerokość                                               | 600 mm              |
| głębokość                                               | 10 mm               |
| szerokość montażowa dla montażu w szafie rozdzielczej   | 600 mm              |
| wysokość montażowa dla wyposażenia urządzenia użytkowy  | 450 mm              |
| Waga netto na jedn.                                     | 2,244 kg            |
| materiał                                                | Blacha stalowa      |
| oznaczenie środków roboczych zgodnie z IEC 81346-2:2009 | UC                  |

| Zezwolenia Certyfikaty |                          |
|------------------------|--------------------------|
| Environment            | General Product Approval |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



General Product Approval

other

[Miscellaneous](#)



[Confirmation](#)

[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2045-6BA10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ2045-6BA10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2045-6BA10](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2045-6BA10)

CAX-Online-Generator

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Krzywe charakterystyczne**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

---

Ostatnia zmiana:

11.06.2025 

