


osłona 3VA12 (250 A), 3-bieg., element wsuwany, napęd: bezpośredni, napęd obrotowy przedni, napęd silnikowy RCD: brak, wys.: 250 mm szer.: 600 mm



| Wersja                                                  |                     |
|---------------------------------------------------------|---------------------|
| Nazwa markowa produktu                                  | SIVACON S4          |
| oznaczenie produktu                                     | Osłona 3VA          |
| wykonanie powierzchni                                   | powlekany proszkowo |
| wysokość                                                | 250 mm              |
| szerokość                                               | 600 mm              |
| głębokość                                               | 10 mm               |
| szerokość montażowa dla montażu w szafie rozdzielczej   | 600 mm              |
| wysokość montażowa dla wyposażenia urządzenia użytkowy  | 250 mm              |
| Waga netto na jedn.                                     | 1,18 kg             |
| materiał                                                | Blacha stalowa      |
| oznaczenie środków roboczych zgodnie z IEC 81346-2:2009 | UC                  |

| Zezwolenia Certyfikaty |                          |
|------------------------|--------------------------|
| Environment            | General Product Approval |

[Environmental Con-  
firmations](#)



[Environmental Con-  
firmations](#)



[Confirmation](#)

|                          |       |
|--------------------------|-------|
| General Product Approval | other |
|--------------------------|-------|



[Miscellaneous](#)



[Confirmation](#)



## Więcej informacji

Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)  
Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2025-6BA21>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ2025-6BA21>  
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ2025-6BA21](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2025-6BA21)  
CAx-Online-Generator

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Krzywe charakterystyczne**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

---

Ostatnia zmiana:

11.06.2025 

