


plyta montażowa 3VA10 (100 A), 3VA11 (160 A), 4-bieg., montaż na stałe,  
technologia wtykowa, RCD: wbudowany, wys.: 350 mm szer.: 800 mm



| Wersja                          |                                 |
|---------------------------------|---------------------------------|
| Nazwa markowa produktu          | SIVACON S4                      |
| oznaczenie produktu             | Płyta montażowa 3VA             |
| wykonanie produktu              | 3VA10 (100 A); 3VA11 (do 160 A) |
| Ogólne dane techniczne          |                                 |
| obróbka powierzchniowa          | ocynkowany                      |
| właściwość produktu perforowany | Tak                             |
| Konstrukcja mechaniczna         |                                 |
| wysokość                        | 350 mm                          |
| szerokość                       | 800 mm                          |
| głębokość                       | 400 mm                          |
| grubość materiału blachy        | 2 mm                            |
| Waga netto na jedn.             | 4,724 kg                        |
| materiał                        | Blacha stalowa                  |

| Zezwolenia Certyfikaty |                          |
|------------------------|--------------------------|
| Environment            | General Product Approval |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



|                          |       |
|--------------------------|-------|
| General Product Approval | other |
|--------------------------|-------|

[Miscellaneous](#)



[Confirmation](#)

[Confirmation](#)



### Więcej informacji

Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)  
Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6000-8BA48>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6000-8BA48>  
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8PQ6000-8BA48](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6000-8BA48)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)

---

Ostatnia zmiana:

7.08.2025 

