


plyta montażowa 3VA13 (400 A), 3VA14 (630 A), 3VA23 (400 A), 3VA24 (630 A),
3- lub 4-bieg., montaż na stałe, technologia wtykowa, element wsuwany, RCD:
brak, wys.: 250 mm szer.: 800 mm



Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	Płyta montażowa 3VA
Ogólne dane techniczne	
obróbka powierzchniowa	ocynkowany
właściwość produktu perforowany	Tak
Konstrukcja mechaniczna	
wysokość	250 mm
szerokość	800 mm
głębokość	400 mm
grubość materiału blachy	2 mm
Waga netto na jedn.	3,745 kg
materiał	Blacha stalowa
Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)



[Confirmation](#)

General Product Approval

other



[Miscellaneous](#)



[Confirmation](#)

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6001-1BA02>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6001-1BA02>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6001-1BA02

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

7.08.2025 

