

plyta montażowa 3KL5 (125A), pionowo, 3- lub 4-bieg., wys.: 250mm szer.: 600 mm



Wersja	
Nazwa markowa produktu	SIVACON S4
oznaczenie produktu	Płyta montażowa 3KL
wykonanie produktu	3KL50, 3KL52
Ogólne dane techniczne	
obróbka powierzchniowa	ocynkowany
właściwość produktu perforowany	Tak
Konstrukcja mechaniczna	
wysokość	250 mm
szerokość	600 mm
głębokość	400 mm
grubość materiału blachy	2 mm
Waga netto na jedn.	3,04 kg
materiał	Blacha stalowa

Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Confirmations](#)

[Environmental Confirmations](#)







[Confirmation](#)

General Product Approval	other
--------------------------	-------



[Miscellaneous](#)



[Confirmation](#)



Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania
Information for data generation and storage https://support.industry.siemens.com/cs/ww/en/view/109995012
Information- and Downloadcenter (Catalogs, Brochures,...) https://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ6000-2BA66
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/pl/ps/8PQ6000-2BA66
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ6000-2BA66

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

7.08.2025 

