

ALPHA 400/630/1250 DIN osłona pola zamknięta wys.= 75 mm, szer.= 250 mm,  
zamknięta minimalna wielkość zamówienia 10 sztuk dostawa bez wsporników



| Wersja                                                                                                                                    |             |
|-------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Nazwa markowa produktu                                                                                                                    | ALPHA       |
| oznaczenie produktu                                                                                                                       | Osłony pola |
| wykonanie produktu                                                                                                                        | zamknięty   |
| Klasa ochrony                                                                                                                             |             |
| Stopień ochrony IP                                                                                                                        | Inne        |
| wyposażenie produktu zamknięcie błyskawiczne                                                                                              | Nie         |
| <ul style="list-style-type: none"> <li>część składowa produktu zawias</li> <li>element składowy produktu przezroczysta pokrywa</li> </ul> | Nie<br>Nie  |
| Konstrukcja mechaniczna                                                                                                                   |             |
| wysokość                                                                                                                                  | 75 mm       |
| szerokość                                                                                                                                 | 250 mm      |
| Waga netto na jedn.                                                                                                                       | 110 g       |
| materiał                                                                                                                                  | Tworzywo    |

| Zezwolenia Certyfikaty |                          |                   |
|------------------------|--------------------------|-------------------|
| Environment            | General Product Approval | Test Certificates |

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



[Confirmation](#)



[Special Test Certific-  
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



### Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9601-0KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9601-0KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9601-0KK10](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9601-0KK10)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

Ostatnia zmiana:

6.04.2025 

