



ALPHA 400/630/1250 DIN osłona pola zamknięta W=300mm, szer.= 250 mm, zamknięta minimalna wielkość zamówienia 10 sztuk dostawa bez wsporników

Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	Osłony pola
wykonanie produktu	zamknięty
Klasa ochrony	
Stopień ochrony IP	Inne
wyposażenie produktu zamknięcie błyskawiczne	Nie
- część składowa produktu zawias - element składowy produktu przezroczysta pokrywa	Nie Nie
Konstrukcja mechaniczna	
wysokość	300 mm
szerokość	250 mm
Waga netto na jedn.	272,6 g
materiał	Tworzywo

Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)


EG-Konf.

[Special Test Certifi-
cate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9601-2KK10>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9601-2KK10>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9601-2KK10

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

6.04.2025

