

ALPHA 400/630/1250 DIN osłona pola zamknięta wys.=150mm, szer.= 500 mm,
zamknięta minimalna wielkość zamówienia 10 sztuk dostawa bez wsporników



Wersja		
Nazwa markowa produktu		ALPHA
oznaczenie produktu		Osłony pola
wykonanie produktu		zamknięty
Klasa ochrony		
Stopień ochrony IP		Inne
wyposażenie produktu zamknięcie błyskawiczne		Nie
• część składowa produktu zawias		Nie
• element składowy produktu przezroczysta pokrywa		Nie
Konstrukcja mechaniczna		
wysokość		150 mm
szerokość		500 mm
Waga netto na jedn.		405 g
materiał		Tworzywo
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



[Special Test Certific-
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9601-1KK20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9601-1KK20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9601-1KK20

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



Ostatnia zmiana:

6.04.2025 

