


ALPHA 400/ 630/ 1250 DIN 2-komponentowy kołnierz wprowadzania kabli IP55 do
ALPHA 400, 630, 1250 DIN (ALPHA 1250 tylko płyta dachowa) do średnicy
przewodu 58x5-10mm / 2x16-35mm 8x11-16mm / 2x15-45mm



Wersja		
Nazwa markowa produktu		ALPHA
oznaczenie produktu		Kołnierz przepustu kabla IP55, SK2
Konstrukcja mechaniczna		
wysokość		28 mm
szerokość		214 mm
głębokość		136 mm
Waga netto na jedn.		125 g
materiał		Tworzywo
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



[Special Test Certific-
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9101-0KK00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9101-0KK00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9101-0KK00

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

