


ALPHA 400/ 630/ 1250 DIN 2-komponentowy kołnierz wprowadzania kabli IP55 do ALPHA 400, 630, 1250 DIN (ALPHA 1250 tylko płyta dachowa) 10-pak do średnicy przewodu 58x5-10mm / 2x16-35mm 8x11-16mm / 2x15-45mm



Wersja		
Nazwa markowa produktu		ALPHA
oznaczenie produktu		Kołnierz przepustu kabla IP55, SK2
Konstrukcja mechaniczna		
wysokość		28 mm
szerokość		214 mm
głębokość		136 mm
Waga netto na jedn.		1,196 kg
materiał		Tworzywo
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



[Special Test Certific-
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9101-0KK01>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9101-0KK01>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9101-0KK01

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

