



ALPHA 400/630/1250 DIN zestaw instalacyjny urządzenia instalacyjne odstęp rzędów 150 mm W=450mm, szer.= 500 mm

Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	Zestaw montażowy urządzeń do montażu szeregowego
wykonanie produktu	odstęp rzędów 150mm
wykonanie osłony	z wycięciem
element składowy produktu	
• szyna uziemiająca	Nie
• osłona z tworzywa sztucznego	Tak
• płyta montażowa	Nie
liczba szyn DIN	6

Konstrukcja mechaniczna	
wysokość	450 mm
szerokość	500 mm
liczba jednostek podziału szerokości na szynę DIN	12
Waga netto na jedn.	2,32 kg

Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



General Product Ap- proval	Test Certificates	other
-------------------------------	-------------------	-------



[Type Test Certific-
ates/Test Report](#)

[Special Test Certific-
ate](#)

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania
[Informacje dotyczące opakowania](#)
Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4351-3KK22>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK4351-3KK22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4351-3KK22

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

18.06.2026 

