


ALPHA 400/630/1250 DIN zestaw instalacyjny rozłącznik izolacyjny bezpiecznikowy 4x 3NP1123./3NP1133. (NH00/000) montaż na płycie wsporczej W=300mm, szer.= 500 mm



Wersja	
Nazwa markowa produktu	ALPHA
oznaczenie produktu	Zestaw montażowy rozłącznika izolacyjnego bezpiecznikowego NH
wykonanie produktu	4x 3NP1123 / 3NP1133, NH00/000, montaż na płycie wsporczej
wykonanie osłony	z wycięciem
element składowy produktu	
• szyna uziemiająca	Nie
• osłona z tworzywa sztucznego	Tak
• płyta montażowa	Tak
Konstrukcja mechaniczna	
wysokość	300 mm
szerokość	500 mm
pozycja montażowa	Pionowo
Waga netto na jedn.	1,775 kg
Zezwolenia Certyfikaty	
Environment	General Product Approval
Environmental Conformations	Environmental Conformations
	
	Confirmation
	
General Product Approval	Test Certificates
	other
	Special Test Certificate
	Confirmation
	Miscellaneous
	

Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4550-2KK22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK4550-2KK22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4550-2KK22

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

18.06.2026 

