

DELTA przełącznik i przycisk wkładka podświetleniowa LED pomarańczowa do funkcji kontrolnej 230 V/50 Hz



Wersja		
Nazwa markowa produktu		DELTA
rodzaj elementu świecącego		Żarówka
wykonanie mocowania		Gniazdo wtykowe
Ogólne dane techniczne		
znak referencyjny zgodnie z DIN 40719 rozszerzony zgodnie z IEC 204-2 zgodnie z IEC 750		P
Napięcie zasilania		
napięcie zasilające wartość nominalna		230 V
prąd roboczy wartość nominalna		0,9 mA
Stosowność		
możliwość zintegrowania		Przełącznik/przycisk
Konstrukcja mechaniczna		
Waga netto na jedn.		4 g
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TG7333>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5TG7333>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG7333

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>

