



licznik czasu 48x 48 mm AC 24 V 50 Hz bez osłony 55x 55 mm

Wersja		
Nazwa markowa produktu		SETRON
oznaczenie produktu		Licznik czasu
wykonanie produktu		bez osłony
Ogólne dane techniczne		
średnica wycięcia w panelu frontowym		50,2 mm
wejściowa częstotliwość elektryczna		
• minimalny		50 Hz
• maksymalny		50 Hz
sposób działania licznika godzin pracy		analogowy
funkcja reset		Nie
rodzaj napięcia napięcia roboczego		AC
napięcie wejściowe		24 V
Klasa ochrony		
Stopień ochrony IP		IP20
Liczba		
liczba możliwych do wyświetlenia znaków		7
Konstrukcja mechaniczna		
wysokość		45 mm
wysokość płyty przedniej		48 mm
szerokość		45 mm
szerokość płyty przedniej		48 mm
głębokość montażowa		34 mm
rodzaj montażu		Montaż stołu przedniego
Waga netto na jedn.		56 g
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Confirmation](#)

other



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7KT5505>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/7KT5505>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7KT5505

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

26.05.2025

