

ALPHA 400/630/1250 DIN osłona pola z wycięciem wys.=150mm, szer.= 750 mm, wycięcie 3x 12 SM minimalna wielkość zamówienia 10 sztuk dostawa bez wsporników



Wersja		
Nazwa markowa produktu	ALPHA	
oznaczenie produktu	Oslony pola	
wykonanie produktu	z wycięciem	
Klasa ochrony		
Stopień ochrony IP	Inne	
wyposażenie produktu zamknięcie błyskawiczne	Nie	
• część składowa produktu zawias	Nie	
• element składowy produktu przezroczysta pokrywa	Nie	
Liczba		
liczba rzędów	1	
Konstrukcja mechaniczna		
wysokość	150 mm	
szerokość	750 mm	
liczba jednostek podziału szerokości	36	
Waga netto na jedn.	484 g	
materiał	Tworzywo	
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)



[Special Test Certific-
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania
[Informacje dotyczące opakowania](#)
Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9601-1KK31>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9601-1KK31>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9601-1KK31

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



Ostatnia zmiana:

6.04.2025 

