




wyposażenie do 3KC8 zaciski przyłączeniowe przewodu pomocniczego, zestaw montażowy do przyłączania od dołu 3-bieg. do 250A zawiera 1 szt.

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	Wypożenie do przełącznika sieciowego
wykonanie produktu	zaciski przyłączeniowe przewodu pomocniczego, zestaw montażowy
możliwość zastosowania	do 3KC4, 3KC8, 250 A, 3 bieguny
opis produktu	Zaciski przyłączeniowe przewodu pomocniczego, zestaw montażowy, 3-biegunowe, do przyłączania od dołu

Połączenia	
wykonanie przyłącza elektrycznego dla głównego obwodu prądowego	Przyłącze płaskie

Konstrukcja mechaniczna	
głębokość	57 mm
Waga netto na jedn.	258 g

Zezwolenia Certyfikaty	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Miscellaneous](#)



[Confirmation](#)

Test Certificates	other
-------------------	-------

[Type Test Certific-
ates/Test Report](#)

[Confirmation](#)



Więcej informacji


Informacje dotyczące opakowania
[Informacje dotyczące opakowania](#)
Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3KC9822-1>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/pl/ps/3KC9822-1>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KC9822-1
CAx-Online-Generator
<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/?mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

3.04.2025 

