

ALPHA DIN szyna montażowa, szerokość=1000 mm minimalna wielkość zamówienia 10 sztuk



Wersja		
Nazwa markowa produktu		ALPHA
oznaczenie produktu		szyna montażowa
rodzaj otworu		okrągły otwór, prostokątny otwór
Ogólne dane techniczne		
obróbka powierzchniowa		cynkowany w procesie Sendzimira
wysokość profilu możliwego do przymocowania		15 mm
właściwość produktu perforowany		Tak
Konstrukcja mechaniczna		
wysokość		15 mm
szerokość		35 mm
Specyfikacja produktu do wymiarowania		DIN EN 60715:2018-07
długość		1 000 mm
Waga netto na jedn.		678,6 g
materiał		Stal
grubość materiału		1 mm
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)



[Confirmation](#)


EG-Konf.

[Special Test Certific-
ate](#)

other

[Confirmation](#)

[Miscellaneous](#)



Więcej informacji

Informacje dotyczące opakowania
[Informacje dotyczące opakowania](#)

Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9910-1KK40>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8GK9910-1KK40>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9910-1KK40

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

24.05.2025 

