



SITOR bezpiecznik cylindryczny, 22x127 mm, 10 A, gS, Un AC: 1500 V, Un DC: 1000 V

Figure similar

| Wersja                                           |                              |
|--------------------------------------------------|------------------------------|
| Nazwa markowa produktu                           | SETRON                       |
| oznaczenie produktu                              | Wkładka bezpiecznikowa SITOR |
| Ogólne dane techniczne                           |                              |
| charakterystyka wkładki bezpiecznikowej          | gS                           |
| rodzaj napięcia napięcia roboczego               | AC                           |
| napięcie zasilające przy DC                      | 1 000 V                      |
| Obwód główny                                     |                              |
| prąd roboczy wartość nominalna                   | 10 A                         |
| Szczegóły produktu                               |                              |
| element składowy produktu sygnalizator uderzenia | Nie                          |
| Konstrukcja mechaniczna                          |                              |
| pozycja montażowa                                | dowolnie, najlepiej pionowo  |
| Waga netto na jedn.                              | 0,111 kg                     |
| Zezwolenia Certyfikaty                           |                              |
| Environment                                      | General Product Approval     |

[Environmental Con-  
firmations](#)



[Environmental Con-  
firmations](#)



[Confirmation](#)



|                               |       |
|-------------------------------|-------|
| General Product Ap-<br>proval | other |
|-------------------------------|-------|



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)  
Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NC2310-0MK>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/3NC2310-0MK>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NC2310-0MK](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NC2310-0MK)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



Ostatnia zmiana:

14.11.2025 

