



mostek wtykowy, 2-bieg., pełna izolacja, wkładany w tuleję zaciskową i zatrząskiwany do zacisków 95mm²

Wersja		
Nazwa markowa produktu		SETRON
oznaczenie produktu		Zaciski szeregowo
wykonanie produktu		Mostek
Wygląd		
kolor		Szary
wyposażenie produktu ochrona przed dotykiem		Tak
właściwość produktu elektrycznie izolowany		Tak
akcesoria		Element mostkujący wkładany
liczba zmostkowanych zacisków		2
Konstrukcja mechaniczna		
rodzaj montażu		przykręcany
wielkość styku		25 mm
Waga netto na jedn.		76 g
Zezwolenia Certyfikaty		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)



[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8WH9020-3AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8WH9020-3AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8WH9020-3AA00

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

