

Siemens
EcoTech



SIVACON, drzwi przegrody, po prawej, IP40, wys.: 600 mm, szer.: 800 mm, RAL 7035, klasa ochrony 1



Wersja		
Nazwa markowa produktu	SIVACON	
wykonanie produktu	zamknięty	
wykonanie powierzchni	powlekany proszkowo	
wykonanie produktu kompatybilny elektromagnetycznie	Nie	
Klasa ochrony		
Stopień ochrony IP	IP40	
stopień ochrony środków roboczych	klasa ochrony 1	
Wygląd		
kolor	jasny szary	
Szczegóły produktu		
element składowy produktu		
• wentylacja	Nie	
• drzwi przezroczyste	Nie	
• drzwi z blokadą rozłącznika	Nie	
Konstrukcja mechaniczna		
wysokość	600 mm	
szerokość	800 mm	
kierunek otwierania drzwi	Prawo	
Waga netto na jedn.	7,169 kg	
materiał	Stal	
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates

[Environmental Con-
firmations](#)

Siemens
EcoTech



EG-Konf.

[Special Test Certifi-
cate](#)

other

[Miscellaneous](#)

[Miscellaneous](#)

[Confirmation](#)



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1680-2UT34-0BA2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1680-2UT34-0BA2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1680-2UT34-0BA2

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simar.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



Ostatnia zmiana:

13.04.2025 

