

Siemens
EcoTech




SIVACON, drzwi, po prawej, wentylowane, IP40, wys.: 1800 mm, szer.: 600 mm, RAL 7035, klasa ochrony 1



Wersja		
Nazwa markowa produktu	SIVACON	
oznaczenie produktu	Drzwi	
wykonanie produktu	z otworami wentylacyjnymi	
wykonanie powierzchni	powlekany proszkowo	
wykonanie produktu kompatybilny elektromagnetycznie	Nie	
Klasa ochrony		
Stopień ochrony IP	IP40	
stopień ochrony środków roboczych	klasa ochrony 1	
Wygląd		
kolor	jasny szary	
Szczegóły produktu		
element składowy produktu		
• wentylacja	Tak	
• drzwi przezroczyste	Nie	
• drzwi z blokadą rozłącznika	Nie	
Konstrukcja mechaniczna		
wysokość	1 800 mm	
szerokość	600 mm	
kierunek otwierania drzwi	Prawo	
przekrój wentylacji użytkowy	102 cm²	
Waga netto na jedn.	14,8 kg	
materiał	Stal	
Zezwolenia Certyfikaty		
Environment	General Product Approval	Test Certificates
Environmental Con- firmations	   	Special Test Certifi- cate
other		



Więcej informacji

Informacje dotyczące opakowania[Informacje dotyczące opakowania](#)**Information for data generation and storage**<https://support.industry.siemens.com/cs/ww/en/view/109995012>**Information- and Downloadcenter (Catalogs, Brochures,...)**<https://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MF1860-2UT14-2BA2>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/pl/ps/8MF1860-2UT14-2BA2>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1860-2UT14-2BA2**CAX-Online-Generator**<https://www.siemens.com/cax>**Tender specifications**<https://www.siemens.com/specifications>**Krzywe charakterystyczne**https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

13.04.2025

