



higrostat mechaniczny 35 do 95% wilg. wzgl., 5 A 250 V AC MFR012 01220.0-00

Wersja			
Nazwa markowa produktu		SIVACON	
oznaczenie produktu		higrostat mechaniczny	
rodzaj napięcia napięcia roboczego		AC	
Klasa ochrony			
Stopień ochrony IP		IP 20	
Konstrukcja mechaniczna			
pozycja montażowa		pionowy	
Waga netto na jedn.		65 g	
Certyfikaty			
oznaczenie środków roboczych zgodnie z IEC 81346-2:2009		K	
Zezwolenia Certyfikaty			
Environment		General Product Approval	
		other	

[Environmental Con-
firmations](#)



[Confirmation](#)

other



Więcej informacji

Informacje dotyczące opakowania

[Informacje dotyczące opakowania](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8MR2170-1C>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/8MR2170-1C>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MR2170-1C

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Krzywe charakterystyczne

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

Ostatnia zmiana:

24.05.2025 

