











LTE3-2.5	LTE2-4.0	LTE2-4.0P	LTE3-4.0	LTE3-4.0P
				
2.5 mm ²	4 mm ²	4 mm ²	4 mm ²	4 mm ²
25 213 406	25 322 406	25 322 426	25 323 406	25 323 426
PN-EN 60998-1				
				
3	2	2	3	3
2.5 mm ²	4 mm ²	4 mm ²	4 mm ²	4 mm ²
250 V 24 A	500 V 32 A	500 V 32 A	500 V 32 A	500 V 32 A
22 / 17 / 21 mm	19 / 18 / 21 mm	19 / 18 / 21 mm	30 / 18 / 21 / 10 mm	30 / 18 / 21 / 10 mm
12.6 g	M 3x20	M 3x20	M 3x20	M 3x20
50 szt.	11.7 g	11.7 g	16.5 g	17.7
	50 szt.	50 szt.	50 szt.	50 szt.

LTE6-4.0A
LTE6-4.0AM*

LTE6-10.0
LTE6-10.0M*

LTE6-16.0
LTE6-16.0M*

		
4 mm ²	10 mm ²	16 mm ²
25 346 406	25 526 406	25 616 406
25 346 426	25 526 426	25 616 426
PN-EN 60998-1		
		
6	6	6
4 mm ²	10 mm ²	16 mm ²
60 V 32 A	750 V 57 A	500 V 76 A
60 / 22 / 25 / 20 mm	90 / 24 / 30 / 15 mm	90 / 23 / 30 / 15 mm
M 3x20	M 3x25	M 3x25
39.4 / 42.5 g	74.1 / 94.8 g	92.6 / 97.1 g
100 szt.	50 szt.	50 szt.

* wykonanie morskie
* sea version