

EU DECLARATION OF CONFORMITY

We: **Schneider Electric Automation GmbH**
 Subsidiary of Schneider Electric Industries SAS (FR - 92500 Rueil-Malmaison)
Schneiderplatz 1
97828 Marktheidenfeld
Germany

Hereby declare under our sole responsibility that the products:

Trademark	Schneider Electric 
Product, Type, Function	Lexium™ MC12 multi carrier, 120N peak force
Models	LXMMC series, see detailed list of references
Serial Number	PPYYWWDLLLZZZZ (PP = Plant Code; YY = Year; WW = Week; D = Day; LLL = manufacturing line; ZZZZ = digits from 0 to 9)

are in conformity with the requirements of the following directives and conformity was checked in accordance with the following standards:

Directive	Harmonized standard / Notified body reference
Electromagnetic compatibility directive (EMC) 2014/30/EU	EN 61800-3:2004 + A1:2012 Adjustable speed electrical power drive systems - Part 3: EMC requirements and specific test methods
Machinery Directive (MD) 2006/42/EC	EN 61800-5-2:2007 Adjustable speed electrical power drive systems - Part 5-2: Safety requirements - Functional EN ISO 13849-1:2023 Safety of machinery - Safety-related parts of control systems - Part 1: General principles for design EN ISO 13849-2:2012 Safety of machinery - Safety-related parts of control systems - Part 2: Validation EN IEC 62061:2021 Safety of machinery - Safety of machinery - Functional safety of safety-related control systems

According to machinery directive Annex I chapter 1.5.1 following standard(s) was/were additional considered to fulfil safety objectives of low voltage directive 2014/35/EU:

EN 61800-5-1:2007 + A1:2017 + A11:2021

Adjustable speed electrical power drive systems -- Part 5-1: Safety requirements - Electrical, thermal and energy

Subject to correct installation, maintenance and use conforming to its intended purpose, to the applicable regulations and standards, to the supplier's instructions, user manual and to accepted rules of the art.

Name and address of the person authorised to compile the technical file:

Moritz Lehanka, Schneider Electric Automation GmbH, Schneiderplatz 1, Marktheidenfeld, 97828 Germany

Signé par :



14DDB401E56446D...

Samuel MAREAU

Digital factory - Manager Compliance & Certifications

Issued at:
Carros – France: March 30th, 2026

Name(*):

(*) Name and title of the signatory empowered to bind the manufacturer or his authorized representative.

EU DECLARATION OF CONFORMITY



List of references

Commercial Reference	Description
LXMMC12MS06Sccc	Longstator motor, Lexium MC12 multi carrier, straight, 300 mm
LXMMC12MA02Sccc	Longstator motor, Lexium MC12 multi carrier, arc 45°, 200 mm
LXMMCACMD02Sccc	Connection Module 20 A continuous power
LXMMBCA00xSccc	Communication Interconnect
LXMMBCAS01Sccc	Communication Interconnect, sercos
LXMMBCAF01Sccc	Communication Interconnect SFO
LXMMCBDAS01S1ccc	Connector open track, sercos
LXMMCBDASF1Sccc	Connector open track, sercos, SFO
LXMMCBPAP01Sccc	Power Interconnect, power infeed
LXMMCBPA00xSccc	Power Interconnect
LXMMCABR120Sccc	Braking resistor

EU DECLARATION OF INCORPORATION



We: **Schneider Electric Automation GmbH**
 Subsidiary of Schneider Electric Industries SAS (FR - 92500 Rueil-Malmaison)
Schneiderplatz 1
97828 Marktheidenfeld
Germany

Hereby declare under our sole responsibility that the products:

Trademark	Schneider Electric 
Product, Type, Function	Lexium™ MC12 multi carrier, 120N peak force
Models	LXMMC series, see detailed list of references
Serial Number	PPYYWWDLLLZZZZZ (PP = Plant Code; YY = Year; WW = Week; D = Day; LLL = manufacturing line; ZZZZZ = digits from 0 to 9)

are complying with all essential requirements of the Machinery Directive 2006/42/EC, as far as the scope of delivery allows. Additional we declare that the relevant technical documentation is compiled in accordance with part B of Annex VII:

Directive	Fulfilled Requirements	Provision standard / Notified body reference
Machinery Directive (MD) 2006/42/EC	1.1.3, 1.2.6, 1.3.2, 1.3.4, 1.3.9, 1.7.2	EN 61800-5-1:2007 + A1:2017 + A11:2021 Adjustable speed electrical power drive systems -- Part 5-1: Safety requirements - Electrical, thermal and energy

We commit to transmit, in response to a reasoned request by the market surveillance authorities, relevant documents on the partly completed machinery by our documentation department. The method of transmission shall be electronic.


Name and address of the person authorised to compile the technical file:

Moritz Lehanka, Schneider Electric Automation GmbH, Schneiderplatz 1, Marktheidenfeld, 97828 Germany

The partly completed machinery must not be put into service until the final machinery into which it is to be incorporated has been declared in conformity with the provisions of Directive 2006/42/EC on Machinery, where appropriate, and until the EU Declaration of Conformity according to Annex II A is issued.

Issued at:
Carros – France: March 30th, 2026

Name(*):

Signé par :

 14DDB401E56446D...
 Samuel MAREAU
 Digital factory - Manager Compliance & Certifications

(*) Name and title of the signatory empowered to bind the manufacturer or his authorized representative.

EU DECLARATION OF INCORPORATION



List of references

Commercial Reference	Description
LXMMC12MS06Sccc	Longstator motor, Lexium MC12 multi carrier, straight, 300 mm
LXMMC12MA02Sccc	Longstator motor, Lexium MC12 multi carrier, arc 45°, 200 mm
LXMMCACMD02Sccc	Connection Module 20 A continuous power
LXMMCAPC===Sccc	Cable, connection module, power connection, length === dm
LXMMCBCA00xSccc	Communication Interconnect
LXMMCBCAS01Sccc	Communication Interconnect, sercos
LXMMCBCAF01Sccc	Communication Interconnect SFO
LXMMCBDAS01S1ccc	Connector open track, sercos
LXMMCBDASF1Sccc	Connector open track, sercos, SFO
LXMMCBPAP01Sccc	Power Interconnect, power infeed
LXMMCBPA00xSccc	Power Interconnect
LXMMCBPAB01Sccc	Power disconnecter
LXMMCAHS001Sccc	Set of segment Hardstops for Open Track
LXMMC12CA5xSccc	Carrier
LXMMC12CB61S200	HD Carrier
LXMMC12CA51U100	Smart Carrier
LXMMCABR120Sccc	Braking resistor
LXMMCRS0A**Sccc	Guide rail set, straight, (incl. AL)
LXMMCRSEA**Sccc	Guide rail set, straight for open track end – 0,5 ul
LXMMCRS0B**Sccc	HD Guide rail set, straight, (incl. AL)
LXMMCRSEB**Sccc	HD Guide rail set, straight for open track end – 0,5 ul
LXMMCRABA##Sccc	Guide rail set, arc
LXMMCRA0A##Sccc	Guide rail set, arc – for 360° arc
LXMMCRABB##Sccc	HD Guide rail set, arc
LXMMCRA0B##Sccc	HD Guide rail set, arc – for 360° arc
LXMMCSS0B**Sccc	HD Guide rail Spacer straight, 1ul, (incl. AL)
LXMMCSA0B62Sccc	HD Guide rail Spacer arc