



## MATERIAL FACT SHEET

269673 L60AD2DA2

### General Data

Product Hierarchy	IAD510
	Modular PLC
	L-Serie
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/00000000000269673](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/00000000000269673)

### FA-MOD PLC: Analogue I/O Module

Series	MELSEC-L SERIES
Type	ANALOG I/O COMBINED MODULE
Power Supply (V)	24
Current Type	DC
Occupied I/O Points on PLC	16
Integrated Analogue Inputs	2
Integrated Analogue Outputs	2
Input Voltage Range (V)	-10-10; 0-10; 0-5; 1-5
Input Current Range (mA)	0-20; 4-20
Output Voltage Range (V)	-10-10; 0-5; 1-5
Output Current Range (mA)	0-20; 4-20
Wiring	SCREW
Int. Current Consumption (A)	0,17

### Product Dimensions & Weight

Width (mm)	28,5
Height (mm)	90
Depth (mm)	117
Weight (kg)	0,22

### Logistic Dimensions & Gross Weight

Length (cm)	15,0
Width (cm)	13,0
Height (cm)	6,5
Gross Weight (kg)	0,260
Volume (cdm)	1,268

### Stock Data

Planned Delivery Time (Days)	136
------------------------------	-----

### Life Cycle

Sales Start	19.11.2013
Predecessor	No Predecessor

### Additional Product Information

Binding Tariff Information	DEBTI-10685/21-1
BTI validity date	31.10.2024

### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

### Environmental

REACH Limit Exceeded	YES
----------------------	-----

REACH Substance CAS Number	<a href="#">12060-00-3</a>
REACH Substance CAS Number (2)	<a href="#">68-12-2</a>
REACH Substance CAS Number (3)	<a href="#">7439-92-1</a>
REACH Substance CAS Number (4)	<a href="#">80-05-7</a>
REACH Substance CAS Number (5)	<a href="#">872-50-4</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=L60AD2DA2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=L60AD2DA2&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=L60AD2DA2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=L60AD2DA2&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=L60AD2DA2&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=L60AD2DA2&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	43
Other paper (g)	1
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	23
Wood (g)	0
Glass (g)	0
Others (g)	0