



## MATERIAL FACT SHEET

### 282637 HG-KN73JK

#### General Data

Product Hierarchy	IAK30226
	SERVO and Motion
	HG-KN
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000282637](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000282637)

#### FA-Servo-Motion: Servo Motor

Series	MELSERVO-JE
Type	HG-KN
Power Supply (V)	200
Rated Capacity (kW)	0,75
Inertia	LOW INERTIA
Rated Torque (Nm)	2,4
Maximum Torque (Nm)	7,2
Rated Speed (rpm)	3000
Maximum Speed (rpm)	5000
Inertia (kg*cm <sup>2</sup> )	1,28
Brake	NO
Shaft Type	KEYWAY
Protection Class	IP65
Current Type	AC
Encoder Type	17-BIT
Encoder Resolution (p/rev)	131072

#### Product Dimensions & Weight

Width (mm)	80
Height (mm)	80
Depth (mm)	162,2
Weight (kg)	3

#### Logistic Dimensions & Gross Weight

Length (cm)	30,5
Width (cm)	10,0
Height (cm)	16,0
Gross Weight (kg)	3,050
Volume (cdm)	4,880

#### Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

#### Life Cycle

Sales Start	15.12.2014
Predecessor	<a href="#">253948 / HF-KN73JK</a>

#### Export Data

Commodity Code	85015100
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	<a href="#">7439-92-1</a>

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=HG-KN73JK&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=HG-KN73JK&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KN73JK&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HG-KN73JK&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HG-KN73JK&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HG-KN73JK&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	300
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	7
Wood (g)	0
Glass (g)	0
Others (g)	0

### Compatible products

Material	Description / Price List Text / Classification
<a href="#">154367</a>	MR-J3JCBL03M-A2-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out encoder), IP20 Class 100100508: FA-Servo-Motion: Cable
<a href="#">160228</a>	MR-PWS1CBL2M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">160230</a>	MR-J3ENCBL2M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 2m (encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">160312</a>	MR-J3ENCBL2M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161547</a>	MR-J3ENCBL5M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161548</a>	MR-J3ENCBL10M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161549</a>	MR-J3ENCBL2M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161550</a>	MR-J3ENCBL5M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161551</a>	MR-J3ENCBL10M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161552</a>	MR-J3ENCBL5M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 5m (encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161553</a>	MR-J3ENCBL10M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 10m (encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161554</a>	MR-J3ENCBL2M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161555</a>	MR-J3ENCBL5M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
<a href="#">161556</a>	MR-J3ENCBL10M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161557</a>	MR-J3JCBLO3M-A1-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
<a href="#">161559</a>	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161560</a>	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161561</a>	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161562</a>	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161572</a>	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
<a href="#">161592</a>	MR-PWS1CBL5M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161593</a>	MR-PWS1CBL10M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161594</a>	MR-PWS1CBL2M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161595</a>	MR-PWS1CBL5M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161596</a>	MR-PWS1CBL10M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161597</a>	MR-PWS1CBL5M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161598</a>	MR-PWS1CBL10M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161599</a>	MR-PWS1CBL2M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161600</a>	MR-PWS1CBL5M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161601</a>	MR-PWS1CBL10M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161602</a>	MR-PWS2CBL03M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">161603</a>	MR-PWS2CBL03M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">209504</a>	MR-J3ENCBL3M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 3m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220002</a>	PWS007N-02.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, power chain, 2m (Enc.) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220005</a>	PWS007N-05.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, power chain, 5m (Enc.) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220007</a>	PWS007N-10.0-A2 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR, shielded, power chain, 10m (Enc.) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
<a href="#">220009</a>	PWS007N-02.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 2m (shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220010</a>	PWS007N-05.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain, 5m (shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">220012</a>	PWS007N-10.0-A1 Power cable; for HF-KN,-KP,-MP, HG-KN,-KR,-MR,shielded, power chain,10m (shaft) Class 100100508: FA-Servo-Motion: Cable
<a href="#">229788</a>	MR-EKCBL50M-H Encodercable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
<a href="#">246915</a>	MR-EKCBL5M-H Encodercable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
<a href="#">269075</a>	MR-EKCBL40M-H  Class 100100508: FA-Servo-Motion: Cable