



MATERIAL FACT SHEET

311489 GT2107-WTSD

General Data

| | |
|---------------------|--------------------------|
| Product Hierarchy | IAT93001 |
| | HMI |
| | Small HMI |
| Ext. Material Group | 10 STANDARD ITEM |
| ABC Indicator | A (Available from Stock) |

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000311489

FA-HMI: Human Machine Interface

| | |
|-------------------------------|-----------------|
| Series | GOT2000 SERIES |
| Type | GT21 WIDE MODEL |
| Power Supply (V) | 24 |
| Current Type | DC |
| Display | TFT |
| Display Colour | 65536 |
| Display Size (Inch) | 7 |
| Resolution (Pixels) | 800X480 |
| Internal Memory Capacity (MB) | 15 |
| Memory Card Slot | SD |
| USB | 2 |
| Ethernet Port | 1 |
| RS-232 | 1 |
| RS-422/485 | 1 |
| Network Options | ETHERNET |
| Network Options (2) | MODBUS |
| Protection Class | IP67F |

Product Dimensions & Weight

| | |
|-------------|-----|
| Width (mm) | 189 |
| Height (mm) | 142 |
| Depth (mm) | 48 |
| Weight (kg) | 0,7 |

Logistic Dimensions & Gross Weight

| | |
|-------------------|-------|
| Length (cm) | 26,0 |
| Width (cm) | 21,0 |
| Height (cm) | 8,0 |
| Gross Weight (kg) | 1,010 |
| Volume (cdm) | 4,368 |

Stock Data

| | |
|------------------------------|----|
| Planned Delivery Time (Days) | 51 |
|------------------------------|----|

Life Cycle

| | |
|-------------|----------------------|
| Sales Start | 01.04.2017 |
| Predecessor | 218492 / GT1050-QBBD |

Additional Product Information

| | |
|----------------------------|-----------------------------|
| Binding Tariff Information | DEBTI-10694/21-1 |
| BTI validity date | 10.10.2024 |
| Battery included | YES - CHECK SPARE PART LIST |

Export Data

| | |
|-------------------------------|------------|
| Commodity Code | 85371091 |
| Legal Control (Dual Use List) | Not Listed |

| | |
|--|------------|
| Country of Origin | Japan (JP) |
| Preference Status (Supplier Declaration) | Non EU |

Environmental

| | |
|----------------------------|-----------|
| Dangerous Goods Class | NO |
| Dangerous Goods Identifier | NO |
| RoHS Compliance | COMPLIANT |
| WEEE | B2B |

Conformity

| | |
|--------------------|---------------|
| CE | COMPLIANT |
| UL/cUL | COMPLIANT |
| EAC | COMPLIANT |
| Shipping Approvals | NON-COMPLIANT |
| UKCA | COMPLIANT |

Documentation & Media Data

| | |
|----------------------------|---|
| Manual URL Indicator | https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=GT2107-WTSD&doc-lang=en |
| Certificates URL Indicator | https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=GT2107-WTSD&doc-lang=en |
| CAD URL Indicator | https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=GT2107-WTSD&doc-lang=en |

Product Packaging

| | |
|-------------------|-----|
| Cardboard (g) | 278 |
| Other paper (g) | 0 |
| Aluminum (g) | 0 |
| Steel (g) | 0 |
| Styrofoam (g) | 0 |
| Other plastic (g) | 7 |
| Wood (g) | 0 |
| Glass (g) | 0 |
| Others (g) | 0 |

Spare parts

| Material | Description | Quantity | Unit |
|------------------------|--|----------|------|
| 163943 | GT11-50BAT | 1 | PC |
| 485990 | GT21xx/25xx-MOUNT. CLIP 4PCS WIDESCREEEN | 1 | PC |
| 304681 | GT2104-PMBDx/RTBD COVER BATTERY | 1 | PC |

Compatible products

| Material | Description / Price List Text / Classification |
|------------------------|---|
| 163953 | GT01-C30R4-25P Conn.cable AnS/QnAS/A/QnA/F-CPU+GOT2000/GOT1000/GOT Simple;3m Class 100100303: FA-HMI: Cable |
| 163954 | GT01-C100R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 10 m Class 100100303: FA-HMI: Cable |
| 163955 | GT01-C200R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 20 m Class 100100303: FA-HMI: Cable |
| 163956 | GT01-C300R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 30 m Class 100100303: FA-HMI: Cable |
| 200496 | GT10-C30R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS/A/QnA) and GT1020/GT1030; 3 m Class 100100303: FA-HMI: Cable |
| 200497 | GT10-C100R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS/A/QnA) and GT1020/GT1030; 10 m Class 100100303: FA-HMI: Cable |
| 280470 | GT21-C30R4-25P5 GOT2000;RS-422 connection cable between Q CPU and GT2103-PMBD;3m Class 100100303: FA-HMI: Cable |
| 280471 | GT21-C100R4-25P5 GOT2000;RS-422 connection cable between Q CPU and GT2103-PMBD;10m Class 100100303: FA-HMI: Cable |
| 280474 | GT21-C200R4-25P5 GOT2000;RS-422 connection cable between Q CPU and GT2103-PMBD;20m Class 100100303: FA-HMI: Cable |

| Material | Description / Price List Text / Classification |
|------------------------|---|
| 280475 | GT21-C300R4-25P5 GOT2000;RS-422 connection cable between Q CPU and GT2103-PMBD;30m Class 100100303: FA-HMI: Cable |
| 293474 | Ethernetcable GOT Add on Kit Ethernetcable GOT Add on Kit Class 100100303: FA-HMI: Cable |