



uchwyt bezpiecznika cylindrycznego 10 × 38 mm, 1-bieg. In: 32 A,Un AC: 690 V

| Wersja                                                  |                          |                                    |
|---------------------------------------------------------|--------------------------|------------------------------------|
| Nazwa markowa produktu                                  |                          | SETRON                             |
| oznaczenie produktu                                     |                          | Uchwyt bezpiecznika cylindrycznego |
| Ogólne dane techniczne                                  |                          |                                    |
| liczba biegunów                                         |                          | 1                                  |
| wielkość wkładki bezpiecznikowej                        |                          | 10 x 38 mm                         |
| Napięcie zasilania                                      |                          |                                    |
| napięcie robocze                                        |                          | 690 V                              |
| • przy AC wartość znamionowa                            |                          |                                    |
| Stopień ochrony IP                                      |                          | IP20                               |
| Konstrukcja mechaniczna                                 |                          |                                    |
| wysokość                                                |                          | 81 mm                              |
| szerokość                                               |                          | 18 mm                              |
| głębokość                                               |                          | 64 mm                              |
| Waga netto na jedn.                                     |                          | 57 g                               |
| Certyfikaty                                             |                          |                                    |
| oznaczenie środków roboczych zgodnie z IEC 81346-2:2009 |                          | F                                  |
| Zezwolenia Certyfikaty                                  |                          |                                    |
| Environment                                             | General Product Approval | other                              |

[Environmental Con-  
firmations](#)




[Confirmation](#)



[Confirmation](#)

Więcej informacji

Informacje dotyczące opakowania  
[Informacje dotyczące opakowania](#)  
Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NW7013-2>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/pl/ps/3NW7013-2>  
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3NW7013-2](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NW7013-2)  
CAx-Online-Generator  
<https://www.siemens.com/cax>  
Tender specifications  
<https://www.siemens.com/specifications>



Ostatnia zmiana:

11.12.2025 

